## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"interactive data language" and (translat\$4 same (parameter and function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/09 15:27
L2	0	"interface descriptive language" and (translat\$4 same (parameter and function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/09 15:27
L3	28	"interface definition language" and (translat\$4 same (parameter and function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/09 15:27
L4	0	3 and Mathworks	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/09 15:27
L5	21	3 and (@ad<="20010724" or @rlad<="20010724")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 15:28

## **EAST Search History**

			_			•
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S28	0	((argument parameter ) with ((meta\$5 description definition) near6 file)) same (translat\$4 with ((method function) near3 (invocation call)) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 16:00
S29	2	((argument parameter ) with ((meta\$5 description definition) near6 file)) and (translat\$4 with ((method function) near3 (invocation call)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 16:00
S30	14	((argument parameter ) with ((meta\$5 description definition) near6 file)) same ((method function) near3 (invocation call))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 16:01
S31	5	(@ad<="20010724" or @rlad<="20010724") and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:06
S32	11	(S30 not S31) or S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:01